



Xam-Med™ (EU)





CONTENT

- 03 Masks
- 04 Infrared Thermometer
- 05 Gloves

Mask & Particulate Respirator


Available masks meet your needs of health care and daily protection



Particulate Respirator

PR-95-E
PR-99-E

- For adult daily flu protection and haze prevention



Disposable Mask

DM-T1-E
DM-T2-E

- With special 3 ply non-woven design for daily protection
- Offers the optimal balance of protection and breathability

Product	Model No.	Certification Standard	Classification	Filtration	
				BFE ¹	PFE ²
Particulate Respirator	PR-95-E	CE EN 149	FFP2	-	≥ 94%
	PR-99-E	CE EN 149	FFP3	-	≥ 99%
Disposable Mask	DM-T1-E	CE EN 14683	type I (Non-sterile)	≥ 95%	-
	DM-T2-E	CE EN 14683	type II (Non-sterile)	≥ 98%	-

1 BFE = Bacterial Filtration Efficiency

2 PFE = Particulate Filtration Efficiency



Multi-mode Infrared Thermometer



NON-CONTACT MEASUREMENT



ONE SECOND OUTPUT



FEVER ALARM



AUTOMATIC POWER-OFF FUNCTION

Infrared Thermometer

JXB-178

- High temperature accuracy, +/- 0.2 °C in common body range
- Multi mode adjustment, for body, surface and room temperature measurement
- Fever warning, indicates over-temperature and alarm
- Auto shut-down, after measuring finished
- Memory records, lasting 32 measurement sets



Battery Not Included

Mode adjustment button

For body, surface and room Temperature measurement

Memory Record Button

For measuring data record

Simple Press button

For easy and quick measuring

Measuring Range	Body mode range 32.0-42.9 °C Surface mode range 0-60 °C Room mode range 0-40 °C
Accuracy	+/- 0.2 °C
Precision(body)	32.0-34.9 °C ±0.3 °C 35.0-42.0 °C ±0.2 °C 42.1-42.9 °C ±0.3 °C
Battery type	2*AA Battery

* Pictures for reference.

Infrared Thermometer

Xam-Med™ 04

Gloves

For different applications



Vinyl Gloves

- VG-E
- For home cleaning, laboratory examination
- Close to the skin, unique comfort, flexible operation method
- Latex-free for sensitive skin



Nitrile Gloves

NG-E

- For catering services and food processing, home cleaning, laboratory examination, industrial
- Excellent elasticity, durability, puncture resistance, chemical resistance and tactile sensitivity
- Latex-free for sensitive skin
- Powder-free

* Pictures for reference.

